

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
A34638-PCT-USA-I
(072667.0189)

Serial No.
10/633,840

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant
Fritig *et al.*

Filing Date
August 4, 2003

Group
Not Yet Assigned 1638

MAI		5	4	6	4	7	6	3	11/07/05	Schilperoort <i>et al.</i>			
		5	4	7	8	7	4	4	12/26/95	Sanford <i>et al.</i>			
		5	3	7	1	0	1	4	12/06/94	Matsuyama <i>et al.</i>			
		5	1	7	7	0	1	0	01/05/93	Goldman <i>et al.</i>			
		5	1	7	9	0	2	2	01/12/93	Sanford <i>et al.</i>			
		5	1	8	7	0	7	3	02/16/93	Goldman <i>et al.</i>			
		5	2	0	4	2	5	3	04/20/93	Sanford <i>et al.</i>			
		5	1	0	0	7	9	2	03/31/92	Sanford <i>et al.</i>			
		5	0	3	6	0	0	6	07/30/91	Sanford <i>et al.</i>			
		4	9	4	5	0	5	0	07/31/90	Sanford <i>et al.</i>			
		4	5	3	6	4	7	5	08/20/85	Anderson <i>et al.</i>			
✓		4	4	5	9	3	5	5	07/10/84	Cello <i>et al.</i>			

FOREIGN PATENT DOCUMENT


		Document No.							Date	Country	Class	SubClass	Translator	
													Yes	No
MAI		9	9	0	2	7	1	7	21/01/99	WIPO				
		9	9	0	9	1	8	8	25/02/99	WIPO				
		9	9	0	9	1	8	9	25/02/99	WIPO				
		9	8	0	8	9	3	2	05/03/98	WIPO				
		9	8	2	0	1	3	3	14/05/98	WIPO				
		9	8	4	5	4	4	5	15/10/98	WIPO				
		9	8	4	5	4	6	0	15/10/98	WIPO				
✓		9	8	4	5	4	6	1	15/10/98	WIPO				

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office



Atty. Docket No.
A34638-PCT-USA-I
(072667.0189)

Serial No.
10/633,840

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant
Fritig *et al.*

Filing Date
August 4, 2003

Group
Not Yet Assigned 1638

MAI	9	7	0	4	1	0	3	06/02/97	WIPO				
	9	7	1	7	4	3	2	15/05/97	WIPO				
	9	7	3	0	0	8	2	21/08/97	WIPO				
	9	7	4	1	2	3	9	06/11/97	WIPO				
	9	6	3	6	6	9	7	21/11/96	WIPO				
	9	6	3	8	5	6	7	05/12/96	WIPO				
	0	6	3	3	3	1	7	11/01/95	Europe				
	0	6	7	2	7	5	2	20/09/95	Europe				
	9	5	0	3	6	9	0	09/02/95	WIPO				
	9	5	0	6	1	2	8	02/03/95	WIPO				
	9	5	3	1	5	5	4	23/11/95	WIPO				
	0	6	0	4	6	6	2	06/07/94	Europe				
	0	5	3	9	5	6	3	05/05/93	Europe				
	9	3	0	5	1	6	0	18/03/93	WIPO				
	9	3	0	6	7	1	2	15/04/93	WIPO				
	0	4	8	6	2	3	3	20/05/92	Europe				
	0	4	8	6	2	3	4	20/05/92	Europe				
	0	5	0	7	6	9	8	07/10/92	Europe				
	9	2	1	4	8	2	2	03/09/92	WIPO				
	9	2	1	7	5	8	0	15/10/92	WIPO				
	0	4	4	2	1	7	4	21/08/91	Europe				
	9	1	0	2	0	7	1	21/02/91	WIPO				
	9	1	1	5	5	8	5	17/10/91	WIPO				
✓	0	2	5	5	3	7	8	03/02/88	Europe				

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office



Atty. Docket No.
A34638-PCT-USA-I
(072667.0189)

Serial No.
10/633,840

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant
Fritig *et al.*

Filing Date
August 4, 2003

Group
Not Yet Assigned 1638

MAI	0	2	6	7	1	5	9	11/05/98	Europe				
	2	1	9	7	6	5	3	25/05/88	Great Britain				
	0	2	4	2	2	4	6	21/10/87	Europe				
	0	2	4	2	2	3	6	21/10/87	Europe				
✓	8	7	0	7	6	4	4	17/12/87	WIPO				

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)


MAI			Keller H, Pamboukdjian N, Ponchet M, Poupet A, Delon R, Verrier JL, Roby D, Ricci P. Pathogen-induced elicitor production in transgenic tobacco generates a hypersensitive response and nonspecific disease resistance. Plant Cell 1999 Feb;11(2):223-35.
			Sasaki T, Nagamura Y, Yamamoto K. Oryza sativa nipponbare (GA3) genomic DNA, chromosome 6, PAC clone P0680A03. EMBL Accession No. AB023482. Submitted February 5, 1999.
			Chen C. Populus trichocarpa CCoAOMT2 gene, exon 1 to exon 5. EMBL Accession Number AJ 223620. Submitted February 10, 1998.
			Lee JE, Kleinhofs A, Graner A, Wegener S, Parthier B, Lobler M. Genomic sequence and mapping of a methyljasmonate-induced O-methyltransferase from barley (Hordeum vulgare L.). Chemical Abstracts Vol. 128, No. 23, Abstract No. 279382, June 8, 1998.
			Chen C, Meyermans H, Van Doorselaere J, Van Montagu M, Boerjan W. A gene encoding caffeoyl coenzyme A 3-O-methyltransferase from <i>Populus trichocarpa</i> (Accession No. AJ 223620). Plant Physiol. 1998;117:719.
			Datla R, Anderson JW, Selvaraj G. Plant promoters for transgene expression. Biotech Ann Rev 1997;3:269-296.
			Grimmig B, Matern U. Structure of the parsley caffeoyl-CoA O-methyltransferase gene, harbouring a novel elicitor responsive cis-acting element. Plant Mol Biol 1997 Jan;33(2):323-341.
✓			Lee JE, Kleinhofs A, Graner A, Wegener S, Parthier B, Loebler M. Genomic sequence and mapping of a methyljasmonate-induced RT O-methyltransferase from barley. DNA Seq. 1997;7(6):357-363.

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office



Atty. Docket No.
A34638-PCT-USA-I
(072667.0189)

Serial No.
10/633,840

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)

Applicant
Fritig *et al.*

Filing Date
August 4, 2003


Group 1638
~~Not Yet Assigned~~

MAI		Cappellades M, Torres MA, Bastisch I, Stiefel V, Vignols F, Bruce WB, Peterson D, Puigdomènech P, Rigau J. The maize caffeic acid o-methyltransferase gene promoter is active in transgenic tobacco and maize plant tissues. <i>Plant Molecular Biology</i> 1996;31:307-322.
		Lee JE. Horde vulgar caffeic acid O-methyltransferase (HvCOMT) gene, complete cds. EMBL Accession No U54767. Submitted April 11, 1996.
		Baillieul F, Genetet I, Kopp M, Saindrenan P, Fritig B, Kauffmann S. A new elicitor of the hypersensitive response in tobacco: a fungal glycoprotein elicits cell death, expression of defence genes, production of salicylic acid, and induction of systemic acquired resistance. <i>Plant J</i> 1995 Oct;8(4):551-60.
		Panabières F, Marais A, Berre JYL, Penot I, Fournier D, Ricci P. Characterization of a gene cluster of <i>Phytophthora cryptogea</i> which codes for elicitors, proteins inducing a hypersensitive-like response in tobacco. <i>Mol Plant Microbe Interact</i> 1995;8:996-1003.
		Huet J-C, Pernollet J-C. Alpha-elicitor MGM-alpha. SWISSPROT Accession No. P35698. Release 29, June 1994.
		Kim Y, Buckley K, Costa MA, An G. A 20 nucleotide upstream element is essential for the nopaline synthase (nos) promoter activity. <i>Plant Molecular Biology</i> 1994;24:105-117.
		Huet J-C, Pernollet J-C. Beta-elicitor MGM-beta. SWISSPROT Accession No. P35699. Release 29, June 1994.
		Kauffmann S, Baillieul F, Genetet L, Kopp M, Fritig B. Two proteins secreted by <i>Phytophthora megasperma</i> elicit necrosis and defense-related responses in tobacco. <i>Chemical Abstracts</i> Vol. 120, No. 11, Abstract No. 129730. March 14, 1994.
		Panabieres F. P. cryptogea X24 gene for cryptogein, EMBL Accession No. Z34459. Submitted June 10, 1994.
		Altschul SF. A protein alignment scoring system sensitive at all evolutionary distances. <i>J Mol Evol</i> 1993 Mar;36(3):290-300.
		Huet J-C, Pernollet J-C. Sequences of acidic and basic elicitor isoforms secreted by <i>Phytophthora megasperma megasperma</i> . <i>Phytochemistry</i> 1993;33:797-805.
		Kamoun S, Young M, Glascock CB, Tyler BM. Extracellular protein elicitors from <i>Phytophthora</i> : host-specificity and induction of resistance to bacterial and fungal pathogens. <i>Mol Plant Microbe Interact</i> 1993;6:15-25.

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark OfficeAtty. Docket No.
A34638-PCT-USA-I
(072667.0189)Serial No.
10/633,840**INFORMATION DISCLOSURE STATEMENT
BY APPLICANT**
(Use several sheets if necessary)Applicant
Fritig *et al.*Filing Date
August 4, 2003Group 16.38
Not Yet Assigned

MAI			Kauffmann S, Baillieul F, Genetet I, Kopp M, Fritig B. Two proteins secreted by <i>Phytophthora megasperma</i> elicit and defence-related responses in tobacco. In Mechanisms of Plant Defense Responses. B. Fritig and M. Legrand, eds. Dordrecht: Kluwer Academic Publishers, pp. 140-143, 1993.
			Pellegrini L, Geoffroy P, Fritig B, Legrand M. Molecular cloning and expression of a new class of ortho-diphenol-O-methyltransferases induced in tobacco (<i>Nicotiana tabacum</i> L.) leaves by infection or elicitor treatment. Plant Physiol 1993 Oct;103(2):509-517.
			Rossi L, Escudero J, Hohn B, Tinland B. Efficient and sensitive assay for T-DNA-dependent transient gene expression. Plant Mol Biol Rep 1993;12:220-229.
			Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ. Basic local alignment search tool. J Mol Biol 1990 Oct 5;215(3):403-410.
			Nagel R, Elliot A, Masel A, Birch RG, Manners JM. Electroporation of binary Ti plasmid vector into <i>Agrobacterium tumefaciens</i> and <i>Agrobacterium rhizogenes</i> . FEMS Microbiol Lett 1990;67:325-328.
			Panabieres F, Marais A, le Berre J, Penot I, Fournier D, Ricci P. Beta-elicitin cryptogein [Precursor]. SWISSPROT Accession No. P15570. Release 14, April 1990.
			Jefferson RA, Kavanaugh TA, Bevan MW. GUS fusions: β -glucuronidase as a sensitive and versatile gene fusion marker in higher plants. EMBO J 1987;6:3901-3907.
			Collendavelloo J, Legrand M, Geoffroy P, Barthelemy J, Fritig B. Purification and properties of the three o-diphenol-O-methyltransferases of tobacco leaves. Phytochemistry 1981;20:611-616.
			Sänger F, Nicklens S, Coulson AR. DNA sequencing with chain-terminating inhibitors. Proc Natl Acad Sci USA 1977;74:5463-5467.
			Bradford MM. A rapid and sensitive method for the quantitation of microgram quantities of protein utilising the principle of protein-dye binding. Anal Biochem 1976;72:248-254.

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.